

Experience Better Living

R

Season 2024/2025

The Dimplex **Electric Fires** Collection



Why Dimplex?

Millions of people around the world enjoy the comfort we bring every day with our Decorative Electric Fireplaces. For over 50 years our customers and partners have relied on our people, products, and brand, to deliver atmosphere in a safe and sustainable way, with no compromise.

Our track record of bringing innovation, being first in market and opening new categories is driven by our desire to challenge the status quo and find better solutions to provide the comfort and ambience to enhance millions of lives, working closely and openly with our trade partners and customers.

Dimplex, Experience Better Living

Why Dimplex in short

- 50 years of experience in Electric Fireplaces: this is our focal point, no distraction and complete commitment to deliver the ideal solution for each customer.
- Patented technologies: all our flame technologies are patented and are the result of continuous investments and determination to bring the perfect atmosphere to your home.
- Complete product offer: we have the widest offer in the market to satisfy all needs, from plug & play to integrated solutions.
- Trusted service: our network is specialized in Electric Fireplaces and provides an efficient and collaborative support.
- Comfort and sustainability, with no compromise: we are devoted to bring the most sustainable fireplace experience to all homes, with 100% safety and zero impact on the environment.

www.dimplexfires.com



Why choose an electric fireplace?

A decorative electric fireplace is the perfect solution when seeking an instant enhancement in any environment, whether it be in a home or a public space.

Ease of use: Enjoy your fireplace whenever you wish, simply by pressing the remotecontrol button.

Can be installed anywhere: You have no constraints of smoke evacuation or thermal requirements; you can install your fireplace in any room, within a partition, inside a piece of furniture, or just by placing it.

No maintenance: No ashes to dispose of no insert glass to clean, and of course, no cleaning; you only need to relish the warm ambiance of your fireplace.

Safety: No emission of toxic gases, nor risk of fire.

Year-round usability: The heating function is independent of the flame effect. Therefore, you can enjoy the cozy atmosphere of your fireplace without heating when you don't need it.

Environmentally friendly: No use of fossil fuels.

No chimney flues needed: Consequently, you can install your fireplace at a lower cost and without location constraints.

www.dimplexfires.com






Flame technologies

The warm, flickering glow of a fireplace creates a cozy and inviting atmosphere in any home. Dimplex, a pioneering brand in the electric fireplace industry, offers a diverse range of cutting-edge flame effect technologies to suit every preference and home décor. The Dimplex flame effect technologies are: Optiflame[®], Optimyst[®], and Opti-V[®].

Optiflame

Optiflame® is the original Dimplex electric flame effect, and revolutionised the electric fire market when first launched in 1988. It creates a mesmerising and lifelike flame that provides warmth and ambiance in any room, with complete safety and the peace of mind of a maintenance free, electric solution. Endlessly refined and continually evolving , Optiflame® remains the world's most popular electric flame technology.





Öptimyst

Optimyst® is the world's most realistic 3D electric flame effect for those looking for a truly authentic experience, combined with the safety and low maintenance of an electric solution. Patented by Dimplex, it offers a flame experience that can be enjoyed from all angles, making it perfect for stunning room dividers and see-through fireplaces. This unique flame effect is generated by an innovative combination of cold water vapour and light.

Őpti-V

Opti-V[®] is the first and original virtual flame technology, patented by Dimplex. This stunningly authentic fire experience requires no maintenance and delivers a flame image equal to that of a traditional fire, with no emissions and in total safety. It delivers a virtually perfect flame effect through a magic combination of High Definition video and LEDs.



Cassettes / Engines

Optimyst

Cassette 400/600 LED

230V/50Hz | 125 Watt







The Cassette 400/600 LED inset fire unit not only surprises with its free floating flame and smoke effect, its modest size and variable flame intensity make it highly suitable for 'endlessly' creative interior solutions: placed as a single unit in a table or inside a gas or wood fireplace, or as a line of fire by simply putting several units alongside each other. The only connection you need is 230V. Just fill the reservoir with fresh water and click on the remote for hours of cosy ambiance, over and over again.

- Ideal for creative projects, to be installed in furniture or used for other decorative purposes
- Easy-fill water tank, offers around 8-10 hours of continuous operation before refilling is required
- View of the fire from 4 sides
- Newly developed with LED lights for lower power consumption with a longer service life
- Crackling logs sound effects with adjustable volume
- Logset available as an accessory

Experience Better Living







Product is delivered without decoration, but can be decorated with a wood set (optional to be ordered).



Control all functions of the fireplace from the comfort of your chair.



Very suitable for installation.





Complex


Cassette 400/600 LED

Experience Better Living

Unit Dimensions







Specifications

Flame Effect system	Optimyst®
Model number	210791
GTIN/UPC	5011139210791
Model	Cassette
View Type	Four-sided
Colour - Furniture	Black
Media Bed	Metal Plate
Viewing window WxH (cm)	38x20
Build in dim (WxHxD) (cm)	40,7x17,6x22
Heating function	No
Heating Element	No
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	LED
Sound	Yes
Media Bed Flame Colours	No
Heat Setting 1 in Watts	-
Heat Setting 2 in Watts	-
Power consumption (flame effect) (Watt)	125
Wattage	125
Voltage	230V/50Hz
Unpacked Weight (kg)	4,5
Plug Length	1,5 m
Warranty	2 Years







All cassettes must have adequate ventilation for an optimal fire experience. For advice, read the manuals or visit the website www.dimplexfires.com



Cassette 500 (retail)

230V/50Hz | 220 Watt








Picture the perfect fireplace. But forget about venting and heat, because flames are made of pure water vapour and LED light. Flames you can reach out and touch. The revolutionary Optimyst® Cassette models redefine the electric fireplace and enable you to add a dramatic fire feature to any space, with stunning realism. Ready to be combined and linked with a Cassette 1000. For that see-through, three-sided, or fully open concept you envisage - in any length, for any location. Possibilities are simply endless.

- Suitable for installation projects and designed to fit into a custommade frame or fireplace
- Easy-fill water tank, offers around 8-10 hours of continuous operation before refilling is required
- Crackling logs sound effects with adjustable volume
- Logset available as an accessory

Experience Better Living



Product is delivered without decoration, but can be decorated with a wood set (optional to be ordered).



Control all functions of the fireplace from the comfort of your chair.



Sound effect of crackling wood fire.



Very suitable for installation.




Cassette 500 (retail)

Experience Better Living

Unit Dimensions






b	1	
0.0	0.0	1
		Min: 180mm
		Max: 210mm
<u> </u>	- H	
Γ		
300	1	
Dir		

DIMENSIONS			
	Width (cm)	Height (cm)	Depth (cm)
Cassette 500 (retail)	50,8	18	30,4
Cassette 1000 (retail)	101,7	18	30,4

Specifications

Flame Effect system	Optimyst®
Model number	210654
GTIN/UPC	5011139210654
Model	Cassette
View Type	Four-sided
Colour - Furniture	Black
Media Bed	Metal Plate
Viewing window WxH (cm)	49x20
Build in dim (WxHxD) (cm)	50,8x18x30,4
Heating function	No
Heating Element	No
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	LED
Sound	Yes
Media Bed Flame Colours	No
Heat Setting 1 in Watts	-
Heat Setting 2 in Watts	-
Power consumption (flame effect) (Watt)	220
Wattage	220
Voltage	230V/50Hz
Unpacked Weight (kg)	9
Plug Length	1,5 m
Warranty	2 Years











All cassettes must have adequate ventilation for an optimal fire experience. For advice, read the manuals or visit the website www.dimplexfires.com



Cassette 1000 (retail)

.30V/50Hz | 450 Watt








Picture the perfect fireplace. But forget about venting and heat, because flames are made of pure water vapour and LED light. Flames you can reach out and touch. The revolutionary Optimyst® Cassette models redefine the electric fireplace and enable you to add a dramatic fire feature to any space, with stunning realism. Ready to be combined and linked with a Cassette 500. For that see-through, three-sided, or fully open concept you envisage - in any length, for any location. Possibilities are simply endless. The perfect opportunity to play with fire!

- Suitable for installation projects and designed to fit into a custommade frame or fireplace
- Easy-fill water tank, offers around 8-10 hours of continuous operation before refilling is required
- Crackling logs sound effects with adjustable volume
- Logset available as an accessory

Experience Better Living







Optimyst flame technology, flame patterns by cold water vapour.



Őpti

Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately.

Product is delivered without decoration, but can be decorated with a wood set (optional to be ordered).



Control all functions of the fireplace from the comfort of your chair.



Sound effect of crackling wood fire.



Very suitable for installation.



Cassette 1000 (retail)

230V/50Hz | 450 Watt

Experience Better Living

Unit Dimensions

Width (cm)


50,8

101,7

Height (cm)

18

18



Depth (cm)

30,4

30,4

	1	
0.0	0.0	1
		Min: 180mm
		Max: 210mm
<u> </u>	- I	
Γ		
	1	

Cassette 500 (retail)

Cassette 1000 (retail)

DIMENSIONS

Flame Effect system	Optimyst®
Model number	210661
GTIN/UPC	5011139210661
Model	Cassette
View Type	Four-sided
Colour - Furniture	Black
Media Bed	Metal Plate
Viewing window WxH (cm)	99x20
Build in dim (WxHxD) (cm)	101,7x18x30,4
Heating function	No
Heating Element	No
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	LED
Sound	Yes
Media Bed Flame Colours	No
Heat Setting 1 in Watts	-
Heat Setting 2 in Watts	-
Power consumption (flame effect) (Watt)	450
Wattage	450
Voltage	230V/50Hz
Unpacked Weight (kg)	16
Plug Length	1,5 m
Warranty	2 Years

Disclaimer We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.





All cassettes must have adequate ventilation for an optimal fire experience. For advice, read the manuals or visit the website www.dimplexfires.com



CDimplex[®]

Cassette 500 (projects)

230V/50Hz | 220 Wa







Picture the perfect fireplace. But forget about venting and heat, because flames are made of pure water vapour and LED light. Flames you can reach out and touch. The revolutionary Optimyst® Cassette models redefine the electric fireplace and enable you to add a dramatic fire feature to any space, with stunning realism. This Projects version even lacks the need of a periodic water refill, thanks to its permanent water connection. Ready to be combined and linked with a Cassette 1000 Projects.

- Suitable for installation projects and designed to fit into a custommade frame or fireplace
- Connects to a main water supply, no manual refill needed
- Quick-fit IEC (kettle) connection for an individual fireplace of any length
- Crackling logs sound effects with adjustable volume
- Logset available as an accessory

Experience Better Living





Experience Better Living

Cassette 500 (projects)

Unit Dimensions



	•	
0i- 1		

0.0 0.0	
	Min: 225mm Max: 260mm
P 🕬	

DIMENSIONS			
	Width (cm)	Height (cm)	Depth (cm)
Cassette 500 (retail)	50,8	22,5	30,4
Cassette 1000 (retail)	101,7	22,5	30,4

Specifications

Flame Effect system	Optimyst®
Model number	211439
GTIN/UPC	5011139211439
Model	Cassette
View Type	Four-sided
Colour - Furniture	Black
Media Bed	Metal Plate
Viewing window WxH (cm)	49x20
Build in dim (WxHxD) (cm)	50,8x22,5x30,4
Heating function	No
Heating Element	No
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	LED
Sound	Yes
Media Bed Flame Colours	No
Heat Setting 1 in Watts	-
Heat Setting 2 in Watts	-
Power consumption (flame effect) (Watt)	220
Wattage	220
Voltage	230V/50Hz
Unpacked Weight (kg)	11
Plug Length	1,5 m
Warranty	2 Years










All cassettes must have adequate ventilation for an optimal fire experience. For advice, read the manuals or visit the website www.dimplexfires.com



CDimplex[®]

Cassette 1000 (projects)

230V/50Hz | 450 Watt





Picture the perfect fireplace. But forget about venting and heat, because flames are made of pure water vapour and LED light. Flames you can reach out and touch. The revolutionary Optimyst® Cassette models redefine the electric fireplace and enable you to add a dramatic fire feature to any space, with stunning realism. This Projects version even lacks the need of a periodic water refill, thanks to its permanent water connection. Ready to be combined and linked with a Cassette 500 Projects.

- Suitable for installation projects and designed to fit into a custommade frame or fireplace
- Connects to a main water supply, no manual refill needed
- Quick-fit IEC (kettle) connection for an individual fireplace of any length
- Crackling logs sound effects with adjustable volume
- Logset available as an accessory

Experience Better Living





Product is delivered without decoration, but can be decorated with a wood set (optional to be ordered).



Control all functions of the fireplace from the comfort of your chair.



Sound effect of crackling wood fire.



Very suitable for installation.



Cassette 1000 (projects)

230V/50Hz | 450 Watt

Experience Better Living

Unit Dimensions



	•	*	•	Ì
				ļ
<u>al</u> "				1
		im A	-	

<u>סיס סיס</u>	
	Min: 225mm Max: 260mm
1999 I	

DIMENSIONS				
	Width (cm)	Height (cm)	Depth (cm)	
Cassette 500 (retail)	50,8	22,5	30,4	
Cassette 1000 (retail)	101,7	22,5	30,4	

Specifications

Flame Effect system	Optimyst®
Model number	211446
GTIN/UPC	5011139211446
Model	Cassette
View Type	Four-sided
Colour - Furniture	Black
Media Bed	Metal Plate
Viewing window WxH (cm)	99x20
Build in dim (WxHxD) (cm)	101,7x22,5x30,4
Heating function	No
Heating Element	No
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	LED
Sound	Yes
Media Bed Flame Colours	No
Heat Setting 1 in Watts	-
Heat Setting 2 in Watts	-
Power consumption (flame effect) (Watt)	450
Wattage	450
Voltage	230V/50Hz
Unpacked Weight (kg)	18,5
Plug Length	1,5 m
Warranty	2 Years





All cassettes must have adequate ventilation for an optimal fire experience. For advice, read the manuals or visit the website www.dimplexfires.com



Experience Better Living

Cassette 500 retail Multi Optimyst

230V/50Hz | 260 Watt









Imagine having three-dimensional flames dancing in any room of your choice. With its unique combination of our patented cold water vapor and multicolor LED lights, you can enjoy a realistic and safe fire experience. With our Cassette Retail models, you can easily add an impressive fire display to any room. Moreover, you can effortlessly pair and combine them with all our other Retail Cassettes. This allows you to create the perfect see-through fireplace, cinewall or any other fireplace project of your dreams. The possibilities are simply endless.

- Perfect for installation projects, designed to fit custom-made frames or fireplaces.
- Easy-to-fill water tank provides 8-10 hours of continuous operation before needing a refill.
- Can be easily connected and combined with other Retail Cassettes.
- Crackling logs sound effects with adjustable volume.
- Optional logset accessory available.
- With Flame Connect App

Multi- colour!	
3605	All-round view.
0	Possibility to connect multiple units together.
N ^N N	Surprising by the floating flame and smoke effect and variable flame intensity.
Ópti	Optimyst flame technology, flame patterns by cold water vapour.
	Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately.
E.S	Product is delivered without decoration, but can be decorated with a wood set (optional to be ordered).
	The colours of the flame can be adjusted to the colours blue, violet, red, aquamarine or change the colours to a mix by using the Flame Connect app.
	Flame Connect app available for smartphone.
(Q)	Very suitable for installation.



Cassette 500 retail Multi Optimyst


230V/50Hz 260 Watt

Experience Better Living

Unit Dimensions







DIMENSIONS			
	Width (cm)	Height (cm)	Depth (cm)
Cassette 500 (retail)	50,8	18	30,4
Cassette 1000 (retail)	101,7	18	30,4

.....








All cassettes must have adequate ventilation for an optimal fire experience. For advice, read the manuals or visit the website www.dimplexfires.com

Specifications

Flame Effect system	Optimyst®
Model number	400001276
GTIN/UPC	5011139084996
Model	Cassette
View Type	Four-sided
Colour - Furniture	Black
Media Bed	Metal Plate
Viewing window WxH (cm)	49x20
Build in dim (WxHxD) (cm)	50,8x18x30,4
Heating function	No
Heating Element	No
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	LED
Sound	Yes
Media Bed Flame Colours	Yes
Heat Setting 1 in Watts	-
Heat Setting 2 in Watts	-
Power consumption (flame effect) (Watt)	260
Wattage	260
Voltage	230V/50Hz
Unpacked Weight (kg)	8
Plug Length	1,5 m
Warranty	2 Years





- Easy-to-fill water tank provides 8-10 hours of continuous operation ٠ before needing a refill.
- Can be easily connected and combined with other Retail Cassettes.
- Crackling logs sound effects with adjustable volume. •
- Optional logset accessory available.
- With Flame Connect App

Multi- colour!	Mar at Maria
3605	All-round view.
0	Possibility to connect multiple units together.
(PM)	Surprising by the floating flame and smoke effect and variable flame intensity.
Őpti	Optimyst flame technology, flame patterns by cold water vapour.
	Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately.
R Ez Ø	Product is delivered without decoration, but can be decorated with a wood set (optional to be ordered).
	The colours of the flame can be adjusted to the colours blue, violet, red, aquamarine or change the colours to a mix by using the Flame Connect app.
	Flame Connect



app available for smartphone.



Very suitable for installation.




Cassette 1000 retail Multi Optimyst


230V/50Hz | 470 Watt

Experience Better Living

Unit Dimensions

	F
	Ŀ





DIMENSIONS					
	Width (cm)	Height (cm)	Depth (cm)		
Cassette 500 (retail)	50,8	18	30,4		
Cassette 1000 (retail)	101,7	18	30,4		

Specifications

Flame Effect system	Optimyst®
Model number	400001277
GTIN/UPC	5011139085009
Model	Cassette
View Type	Four-sided
Colour - Furniture	Black
Media Bed	Metal Plate
Viewing window WxH (cm)	99x20
Build in dim (WxHxD) (cm)	101,7x18x30,4
Heating function	No
Heating Element	No
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	LED
Sound	Yes
Media Bed Flame Colours	Yes
Heat Setting 1 in Watts	-
Heat Setting 2 in Watts	-
Power consumption (flame effect) (Watt)	470
Wattage	470
Voltage	230V/50Hz
Unpacked Weight (kg)	14,5
Plug Length	1,5 m
Warranty	2 Years

Disclaimer We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.





All cassettes must have adequate ventilation for an optimal fire experience. For advice, read the manuals or visit the website www.dimplexfires.com



Experience Better Living

Cassette 500 projects Multi Optimyst







Imagine the perfect fireplace with no flue or fire hazard. Our patented Optimyst® technology creates flames using cold water vapour and multicolour LED lights to create realistic and safe flames. With the Cassette Projects models, you can effortlessly create a stunning fire display in any room, without the need for regular water refills thanks to the permanent water connection. It's the hassle-free way to enjoy a beautiful fire. You can also easily pair and combine them with our other Projects Cassettes to create your dream fireplace in any setting.

- Perfect for installation projects, designed to fit custom-made frames or fireplaces.
- Connects to a main water supply, no manual refill needed. •
- Can be easily connected and combined with other Projects Cassettes.
- Crackling logs sound effects with adjustable volume. •
- Optional logset accessory available.
- With Flame Connect App






Cassette 500 projects Multi Optimyst

230V/50Hz | 260 Watt

Experience Better Living

Unit Dimensions







DIMENSIONS					
	Width (cm)	Height (cm)	Depth (cm)		
Cassette 500 (retail)	50,8	22,5	30,4		
Cassette 1000 (retail)	101,7	22,5	30,4		

Specifications

Flame Effect system	Optimyst®
Model number	400001274
GTIN/UPC	5011139084972
Model	Cassette
View Type	Four-sided
Colour - Furniture	Black
Media Bed	Metal Plate
Viewing window WxH (cm)	49x20
Build in dim (WxHxD) (cm)	50,8x22,5x30,4
Heating function	No
Heating Element	No
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	LED
Sound	Yes
Media Bed Flame Colours	No
Heat Setting 1 in Watts	-
Heat Setting 2 in Watts	-
Power consumption (flame effect) (Watt)	260
Wattage	260
Voltage	230V/50Hz
Unpacked Weight (kg)	8
Plug Length	1,5 m
Warranty	2 Years









All cassettes must have adequate ventilation for an optimal fire experience. For advice, read the manuals or visit the website www.dimplexfires.com



Cassette 1000 projects Multi Optimyst 230V/50Hz | 470 Watt

Experience Better Living



Imagine the perfect fireplace with no flue or fire hazard. Our patented Optimyst® technology creates flames using cold water vapour and multicolour LED lights to create realistic and safe flames. With the Cassette Projects models, you can effortlessly create a stunning fire display in any room, without the need for regular water refills thanks to the permanent water connection. It's the hassle-free way to enjoy a beautiful fire. You can also easily pair and combine them with our other Projects Cassettes to create your dream fireplace in any setting.

- Perfect for installation projects, designed to fit custom-made frames or fireplaces.
- Connects to a main water supply, no manual refill needed.
- Can be easily connected and combined with other Projects Cassettes.
- Crackling logs sound effects with adjustable volume.
- Optional logset accessory available.
- With Flame Connect App





Cassette 1000 projects Multi Optimyst

230V/50Hz | 470 Watt

Experience Better Living

Unit Dimensions





010 010	
	Min: 225mm Max: 260mm
ा ब्ह्या	

DIMENSIONS			
	Width (cm)	Height (cm)	Depth (cm)
Cassette 500 (retail)	50,8	22,5	30,4
Cassette 1000 (retail)	101,7	22,5	30,4

Specifications

Flame Effect system	Optimyst®
Model number	400001275
GTIN/UPC	5011139084989
Model	Cassette
View Type	Four-sided
Colour - Furniture	Black
Media Bed	Metal Plate
Viewing window WxH (cm)	99x20
Build in dim (WxHxD) (cm)	101,7x22,5x30,4
Heating function	No
Heating Element	No
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	LED
Sound	Yes
Media Bed Flame Colours	Yes
Heat Setting 1 in Watts	-
Heat Setting 2 in Watts	-
Power consumption (flame effect) (Watt)	470
Wattage	470
Voltage	230V/50Hz
Unpacked Weight (kg)	14,5
Plug Length	1,5 m
Warranty	2 Years





All cassettes must have adequate ventilation for an optimal fire experience. For advice, read the manuals or visit the website www.dimplexfires.com



Cassette L Pebbles

230V/50Hz | 400 Watt





The Cassette L Pebbles is part of the Dimplex Cassette range, known for its unique, free floating flame and smoke effect, but now supplied with a decoration of white pebble stones. Easy to install in bespoke interior projects, only a normal electric socket is required. The flames are made of cold water vapour and light, which is safe, fume free and has a hugely decorative effect over the stones. Its water reservoir can be refilled from the front, which is very practical for frequent use.

- Suitable for installation projects and designed to fit into a custommade frame or fireplace
- Easy-fill water tank, offers around 8-10 hours of continuous operation before refilling is required
- The water tank is very easy accessible through a drawer in the front
- View of the fire from 4 sides
- Decorated with white pebbles (included)







Cassette L Pebbles


230V/50Hz | 400 Watt

Experience Better Living

Unit Dimensions







Specifications

Flame Effect system	Optimyst®
Model number	202789
GTIN/UPC	5011139202789
Model	Cassette
View Type	Four-sided
Colour - Furniture	Black
Media Bed	White Carrara Pebbles
Viewing window WxH (cm)	51x20
Build in dim (WxHxD) (cm)	72x18,8x35
Heating function	No
Heating Element	No
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	Halogen
Sound	No
Media Bed Flame Colours	No
Heat Setting 1 in Watts	-
Heat Setting 2 in Watts	-
Power consumption (flame effect) (Watt)	400
Wattage	400
Voltage	230V/50Hz
Unpacked Weight (kg)	27
Plug Length	1,5 m
Warranty	2 Years



All cassettes must have adequate ventilation for an optimal fire experience. For advice, read the manuals or visit the website www.dimplexfires.com



CDimplex[®]

Juneau (XL) 230V/50Hz | 200 / 450 Watt







The Juneau is an electric inset fireplace unit, ready to be installed into nearly any interior space or indoor object, including inactive gas or wood fireplaces. The three dimensional Optimyst® fire image comes from cold water vapour and light, which is startlingly realistic, can be seen from all sides, and is safe to touch. A practical detail: the water reservoir can be refilled from the front, without removing its glowing logset. In a few words: the Juneau is a perfect basis for great fireplace projects.

- Suitable for installation projects and designed to fit into a custommade frame or fireplace
- Easy-fill water tank, offers around 8-10 hours of continuous operation before refilling is required
- The water tank is very easy accessible through a drawer in the front
- Logset included

Experience Better Living







Experience Better Living


Juneau (XL) 230V/50Hz | 200 / 450 Watt


Unit Dimensions





Juneau XL/ Juneau L Pebbles





Specifications

	Juneau	Juneau XL
Flame Effect system	Optimyst®	Optimyst®
Model number	202086	202666
GTIN/UPC	5011139202086	5011139202666
Model	Cassette	Cassette
View Type	Four-sided	Four-sided
Colour - Furniture	Black	Black
Media Bed	Logset	Logset
Viewing window WxH (cm)	32x20	51x20
Build in dim (WxHxD) (cm)	56,7x30x26	72x35x33
Heating function	No	No
Heating Element	No	No
Remote Control	Yes	Yes
Manual Operation on the fireplace possible	Yes	Yes
Lighting Module	Halogen	Halogen
Sound	No	No
Media Bed Flame Colours	No	No
Heat Setting 1 in Watts	-	-
Heat Setting 2 in Watts	-	-
Power consumption (flame effect) (Watt)	250	400
Wattage	450	450
Voltage	230V/50Hz	230V/50Hz
Unpacked Weight (kg)	15,5	20,5
Plug Length	1,5 m	1,5 m
Warranty	2 Years	2 Years









All cassettes must have adequate ventilation for an optimal fire experience. For advice, read the manuals or visit the website www.dimplexfires.com



Engine 56-600 | 68-400

230V/50Hz | 200 Watt







Dimplex Engines are designed to create your quality fireplace inside a wall or surround, exactly where you want it, finished to fit your personal taste and easy to use. Not only offering the unrivalled Optimyst® flame effect but also the comfort of a thermostatic heater. Thanks to its smart 24/7 timer, it is ready to welcome you with a cosy atmosphere at any moment. The vertical shape of the Engine 68-400 allows a good view on its uprising flames. The optional black mirror back panel adds to this.

- Insert fireplace with a modern and elegant appearance
- Easy-fill water tank, offers around 8-10 hours of continuous operation before refilling is required
- Enjoy the ambiance of the flames with or without the heater for all year round comfort
- 24/7 timer ensures a high flexibility, each day of the week can be set individually
- Optional: mirror back panel for an even more intense fire experience

Experience Better Living







One-sided decorative fireplace.


12/1

Őpti

Surprising by the floating flame and smoke effect and variable flame intensity.

Optimyst flame technology, flame patterns by cold water vapour.

Powerful fan-assisted heating by safe element that provides additional heating on demand.



Mirror wall or stone motif wall as a backpanel option to match your interior.



7 Day Programmable Timer.




Very suitable for installation.




Engine 56-600 | 68-400 230V/50Hz | 200 Watt

Experience Better Living

Unit Dimensions





DIMENSIONS			
	Width (cm)	Height (cm)	Depth (cm)
Engine 56-600	64,6	70	25,5
Engine 68-400	49	82,3	25,5

Specifications

	Engine 56-600	Engine 68-400
Flame Effect system	Optimyst®	Optimyst®
Model number	211835	210258
GTIN/UPC	5011139211835	5011139210258
Model	Engines	Engines
View Type	Front	Front
Colour - Furniture	Black	Black
Media Bed	Logset	Logset
Viewing window WxH (cm)	56x40	41x51
Build in dim (WxHxD) (cm)	64,6x70x25,5	49x82,3x25,5
Heating function	Yes	Yes
Heating Element	Yes	Yes
Remote Control	Yes	Yes
Manual Operation on the fireplace possible	Yes	Yes
Lighting Module	Halogen	Halogen
Sound	No	No
Media Bed Flame Colours	No	No
Heat Setting 1 in Watts	1000	1000
Heat Setting 2 in Watts	2000	2000
Power consumption (flame effect) (Watt)	200	200
Wattage	2000	2000
Voltage	230V/50Hz	230V/50Hz
Unpacked Weight (kg)	19,5	18
Plug Length	1,5 m	1,5 m
Warranty	2 Years	2 Years







Built in / Wall insert

Optiflame

Ignite Ultra 40 | 50 | 60 | 74

The Ignite Ultra is the latest innovation from Dimplex combining cutting edge technology with an elegant modern design for a true state-of-the-art electric fire which will transform any home. This stylish fire boasts the next generation of Optiflame technology, delivering a realistic electric fire that will ignite all your senses and truly captivate you. The Ignite Ultra's flames dance and flicker like real fire and are enhanced by the pulsating and glowing logs, along with the crackling sounds, adding to the authentic fire experience. The large viewing window of 43,2 cm allows you to enjoy the enchanting flames, which create a stunning fireside glow and add warmth and atmosphere to any room. Available in a choice of sizes you can choose from three layout options: a single glass panel for a striking front-facing fire, two panels for a dynamic corner installation, or three panels for a truly panoramic effect. Dimplex's Comfort\$aver technology ensures energy-efficient heating, reducing power consumption without compromising warmth and comfort.

- Advanced flame technology experience a new generation of patented Optiflame technology, delivering a highly realistic and stunning flame effect
- **Realistic glowing logs** features pulsating logs enhanced with inner glow technology that pulse in rhythm with the dancing flames
- **Crackling sound effects** enrich the sensory experience of your fireplace with the wood crackling sound
- Choice of installation options 1, 2 or 3-sided fireplace, the possibilities for customization are endless
- **Patented Comfort\$aver technology** energy efficient heater offering up to 11% saving on energy costs
- Flame Connect App change the fire experience to your liking all by the touch of a button


Experience Better Living



Ignite Ultra 40 | 50 | 60 | 74 230V/50Hz | 30 / 36 / 43 / 51 Watt

Experience Better Living

Unit Dimensions



MODEL	A
Ignite Ultra 40	103,1 cm
Ignite Ultra 50	128,5 cm
Ignite Ultra 60	153,9 cm
Ignite Ultra 74	189,5 cm

Specifications

	Ignite Ultra 40	Ignite Ultra 50	Ignite Ultra 60	Ignite Ultra 74
Flame Effect system	Optiflame®	Optiflame®	Optiflame®	Optiflame®
Model number	500003543	500003544	500003545	500003546
GTIN/UPC	5011139088208	5011139088215	5011139088222	5011139088239
Model	Built-in	Built-in	Built-in	Built-in
View Type	1-, 2-, or 3-sided			
Colour - Furniture	Black	Black	Black	Black
Media Bed	Lighted Logs & tumbled glass			
Viewing window WxH (cm)	101,6x45,7	127x45,7	152,4x45,7	188x45,7
Build in dim (WxHxD) (cm)	103,1x69,9x36,9	128,5x69,9x36,9	153,9x69,9x36,9	189,5x69,9x36,9
Heating function	Yes	Yes	Yes	Yes
Heating Element	Yes	Yes	Yes	Yes
Remote Control	Yes	Yes	Yes	Yes
Manual Operation on the fireplace possible	Yes	Yes	Yes	Yes
Lighting Module	LED	LED	LED	LED
Sound	Yes	Yes	Yes	Yes
Media Bed Flame Colours	Yes	Yes	Yes	Yes
Heat Setting 1 in Watts	1000	1000	1000	1000
Heat Setting 2 in Watts	2000	2000	2000	2000
Power consumption (flame effect) (Watt)	30	36	43	51
Wattage	2000	2000	2000	2000
Voltage	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz
Unpacked Weight (kg)	29,9	37,3	44,8	55,2
Plug Length	1 m	1 m	1 m	1 m
Warranty	2 Years	2 Years	2 Years	2 Years




Ignite Bold 50 | 60 | 74

Designed to impress, the Ignite Bold is a stunningly realistic electric fire infusing atmosphere and warmth into any room. This model comes in three different sizes, 50", 60", and 74", and with the unique linking kit, you can connect multiple fires together to create an even longer fireplace, making the Ignite Bold the perfect solution for both domestic and commercial applications. Combining design Inspiration with the very latest technologies, this stylish fire provides an eye-catching flame experience through the Optiflame effect, originally crafted by Dimplex. This modern, built-in fire comes with a mirror effect that increases the depth of the fire, plus with the high viewing glass, you will be captivated by the mesmerizing flames dancing over the realistic logs providing a warming glow.

- **Bigger better tinted glass** offering a panoramic view of the mesmerizing flames from every angle
- Choice of installation options 1, 2 or 3-sided fireplace, the possibilities for customization are endless
- **Patented Comfort\$aver technology** energy efficient heater offering up to 11% saving on energy costs
- Flame Connect App change the fire experience to your liking all by the touch of a button
- **Fully customizable** allowing you to select flame and media bed colour, brightness and flame speed to your preference
- Smart self-diagnostics Integrated smart technology which enhances the performance of your fire by providing maintenance and operation feedback Comes with patented ComfortSaver® technology, offering up to 11% saving


Experience Better Living



Ignite Bold 50 | 60 | 74 230V/50Hz | 20 / 23 / 27 Watt

Experience Better Living

Unit Dimensions



MODEL	Α
Ignite Bold 50	124,6cm
Ignite Bold 60	156,5cm
Ignite Bold 74	188,3cm

Specifications

	Ignite Bold 50	Ignite Bold 60	Ignite Bold 74
Flame Effect system	Optiflame [®]	Optiflame®	Optiflame®
Model number	500003596	500003597	500003598
GTIN/UPC	5011139088383	5011139088390	5011139088406
Model	Built-in	Built-in	Built-in
View Type	1-, 2-, or 3-sided	1-, 2-, or 3-sided	1-, 2-, or 3-sided
Colour - Furniture	Black	Black	Black
Media Bed	Logs and tumbled glass	Logs and tumbled glass	Logs and tumbled glass
Viewing window WxH (cm)	124,6x40,9	156,5x40,9	188,3x40,9
Build in dim (WxHxD) (cm)	124,6x60,7x28,9	156,5x60,7x28,9	188,3x60,7x28,9
Heating function	Yes	Yes	Yes
Heating Element	Yes	Yes	Yes
Remote Control	Yes	Yes	Yes
Manual Operation on the fireplace possible	Yes	Yes	Yes
Lighting Module	LED	LED	LED
Sound	No	No	No
Media Bed Flame Colours	Yes	Yes	Yes
Heat Setting 1 in Watts	1000	1000	1000
Heat Setting 2 in Watts	2000	2000	2000
Power consumption (flame effect) (Watt)	20	23	27
Wattage	2000	2000	2000
Voltage	230V/50Hz	230V/50Hz	230V/50Hz
Unpacked Weight (kg)	44	51,5	57
Plug Length	1 m	1 m	1 m
Warranty	2 Years	2 Years	2 Years



Vista 70 | 130





The Vista is the perfect blend of rich flame experience and spacesaving design. With sparks jumping off glowing logs and the crackling sound of a wood fire, the Vista gives you a lifelike flickering flame effect. Created with Opti-Virtual® technology, brought to you by the original inventors of the Virtual flame technology. Choose from a 3-sided or frontfacing option, both with a stunning 40cm viewing window and limited installation depth. No compromises! Coziness meets functionality with the thermostatic heater, providing warmth and comfort at your fingertips. Even when the fire is off, the ceramic logs and decoration create a beautiful focal point.

- Opti-V flame technology; the first realistic virtual flame technology on the market, patented by Dimplex.
- Realistic log set with glowing LED lights, stunning even when the fire is off
- Available in 1- and 3-sided option
- Flame effect with heating function for year-round enjoyment

Experience Better Living







Standard slatted backpanel enhances realism and visual depth.





Vista 70 | 130


230V/50Hz | 35 / 70 Watt

Experience Better Living

Unit Dimensions







Specifications

	Vista 70 I	Vista 70 III	Vista 130 I	Vista 130 III
Flame Effect system	Opti-V®	Opti-V®	Opti-V®	Opti-V®
Model number	400001658	400001659	400001670	400001671
GTIN/UPC	5011139087799	5011139087805	5011139087812	5011139087829
Model	Built-in	Built-in	Built-in	Built-in
View Type	Front	3-sided	Front	3-sided
Colour - Furniture	Black	Black	Black	Black
Media Bed	Logset	Logset	Logset	Logset
Viewing window WxH (cm)	69x37	69x37	130x40	130x40
Build in dim (WxHxD) (cm)	70,5x67x39,8	77x67x39,8	132,5x67x39,8	139,0x67x39,8
Heating function	Yes	Yes	Yes	Yes
Heating Element	Yes	Yes	Yes	Yes
Remote Control	Yes	Yes	Yes	Yes
Manual Operation on the fireplace possible	No	No	No	No
Lighting Module	LED	LED	LED	LED
Sound	Yes	Yes	Yes	Yes
Media Bed Flame Colours	No	No	No	No
Heat Setting 1 in Watts	1000	1000	1000	1000
Heat Setting 2 in Watts	2000	2000	2000	2000
Power consumption (flame effect) (Watt)	35	35	70	70
Wattage	2000	2000	2000	2000
Voltage	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz
Unpacked Weight (kg)	43,4	46,4	72	75
Plug Length	1 m	1 m	1 m	1 m
Warranty	2+3 Years	2+3 Years	2+3 Years	2+3 Years



Vivente Plus 75 | 100 | 150







Vivente Plus brings you the most advanced combination of comfort and energy efficiency. With our innovative Optiflame technology, combined with a unique crackling sound and an authentic set of real and ceramic logs, it creates an unrivalled, lifelike fire experience. Featuring energysaving technologies such as ComfortSaver, offering savings of up to 11%. Meanwhile, Smart Sense technology detects movement in the room and automatically switches the fire off when you're not there. With three sizes and layout options, finding the perfect fire for your home or venue is a breeze and with full control of your fire via smartphone, you can create the perfect atmosphere anytime.

- With three size and layout options
- SmartSense: auto-off feature saves energy by detecting room activity
- Comfort\$aver: Maintains room temperature and saves up to 11% energy
- Optional: Black Back Panel for even more intense flames
- With Flame Connect App
- With anti-reflective glass and real crackling fire sounds

Experience Better Living






3 installation options. Can be built in as a 1, 2 or 3-sided fireplace.

Fully adjustable fire image with highcontrast flames for a surprisingly deep and lifelike effect.



Optiflame technology, soothing flames with a lit glow bed.

Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately.



Colour alternating flame effects.



Powerful fan-assisted heating by safe element that provides additional heating on demand.



Flame Connect app available for smartphone.

Thanks to the reflective back panel, the flames will be even more intensely



7 Day Programmable Timer.





Vivente Plus 75 | 100 | 150 230V/50Hz | 20 / 28 / 40 Watt

Experience Better Living

Unit Dimensions DIMENSIONS Width (cm) Height (cm) Depth (cm)

Vivente Plus 75	79,3	66,6	30,7
Vivente Plus 100	104,3	66,6	30,7
Vivente Plus 150	154,3	66,6	30,7





Specifications

	Vivente Plus 75	Vivente Plus 100	Vivente Plus 150
Flame Effect system	Optiflame®	Optiflame®	Optiflame [®]
Model number	211682	211712	211743
GTIN/UPC	5011139211682	5011139211712	5011139211743
Model	Built-in	Built-in	Built-in
View Type	1-, 2-, or 3-sided	1-, 2-, or 3-sided	1-, 2-, or 3-sided
Colour - Furniture	Black	Black	Black
Media Bed	Authentic logset	Authentic logset	Authentic logset
Viewing window WxH (cm)	75x34	100x34	150x34
Build in dim (WxHxD) (cm)	79,3x66,6x30,7	104,3x66,6x30,7	154,3x66,6x30,7
Heating function	Yes	Yes	Yes
Heating Element	Yes	Yes	Yes
Remote Control	Yes	Yes	Yes
Manual Operation on the fireplace possible	Yes	Yes	Yes
Lighting Module	LED	LED	LED
Sound	Yes	Yes	Yes
Media Bed Flame Colours	Yes	Yes	Yes
Heat Setting 1 in Watts	1500	1500	1500
Heat Setting 2 in Watts	-	-	-
Power consumption (flame effect) (Watt)	20	28	40
Wattage	1500	1500	1500
Voltage	230V/50Hz	230V/50Hz	230V/50Hz
Unpacked Weight (kg)	38	50	70
Plug Length	1,5 m	1,5 m	1,5 m
Warranty	2 Years	2 Years	2 Years



Aspire 30





The Aspire from Dimplex will redefine your electric fire experience with its advanced features, sleek design, and unparalleled customization options. This portrait electric fire offers a contemporary aesthetic which will add a stylish warmth and ambience to any space. Featuring the next generation of Optiflame technology, delivering a realistic electric fire that will ignite all your senses and truly captivate you. With its dancing flames that flicker like real fire and are enhanced by the pulsating and glowing logs, along with the crackling sounds, adding to the authentic fire experience. Aspire is more than just an electric fireplace; it's a statement of modern design and technological prowess. With advanced features and customization, it will make a statement in any home. Whether you're looking to enhance your living room, bedroom, or any other space, the Aspire promises to provide captivating flames and the perfect blend of ambience and warmth.

- Advanced flame technology experience a new generation of patented Optiflame technology, delivering a highly realistic and stunning flame effect.
- **Realistic glowing logs** features pulsating logs enhanced with inner glow technology that pulse in rhythm with the dancing flames.
- **Crackling sound effects** enrich the sensory experience of your fireplace with the wood crackling sound.
- Choice of installation options 1, 2 or 3-sided fireplace, the possibilities for customization are endless.
- **Patented Comfort\$aver technology** energy efficient heater offering up to 11% saving on energy costs.
- Flame Connect App change the fire experience to your liking all by the touch of a button.

Experience Better Living







New generation Optiflame technology, calming flames above the colourful glow bed.

Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately.

Comes as standard with a Lighted logset and tumbled glass.

Ability to switch between glow bed colours.



Colour alternating flame effects.



Powerful fan-assisted heating by safe element that provides additional heating on demand.



Control all functions of the fireplace from the comfort of your chair.




7 Day Programmable Timer.




Aspire 30 230V/50Hz | 260 Watt

Experience Better Living

Unit Dimensions





445 mm

DIMENSIONS			
	Width (cm) A	Height (cm) C	Depth (cm)
Aspire 30	77,7	95,3	44,5

Specifications

Flame Effect system	Optiflame®
Model number	500003542
GTIN/UPC	5011139088161
Model	Built-in
View Type	Front
Colour - Furniture	Black
Media Bed	Lighted Logs & tumbled glass
Viewing window WxH (cm)	76,2x71,1
Build in dim (WxHxD) (cm)	77,7x95,3x44,5
Heating function	Yes
Heating Element	Yes
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	LED
Sound	Yes
Media Bed Flame Colours	Yes
Heat Setting 1 in Watts	1000
Heat Setting 2 in Watts	2000
Power consumption (flame effect) (Watt)	24
Wattage	2000
Voltage	230V/50Hz
Unpacked Weight (kg)	40
Plug Length	1 m
Warranty	2 Years



3 Step Multi Optimyst

30V/50Hz | 260 Watt

Experience Better Living










The 3 Step Multi Optimyst frameless fireplace offers multiple installation options to perfectly match your interior design and layout. With three layout options and fire created by patented Optimyst cold water vapour and multicolour LED lighting, it can provide a stunning fire view from different angles. It's safe to use, emitting no gas or ashes, and easy to control and personalise using its remote or app. You can enjoy the flame effect all year round, with the option to activate the heating function and crackling fire sound for added cosiness. It comes equipped with a drawer to easily refill water, for a complete stress-free experience.

- Frameless insert fireplace with three-sided fire view
- Can also be installed as one-sided or two-sided
- Flame effect with optional heating function for year-round enjoyment
- Realistic logset included
- With a drawer at the front, refilling the water reservoir is a simple task
- Comfort\$aver: Maintains room temperature and saves up to 11%
 energy
- With Flame Connect App





/ama auitable fan




3 Step Multi Optimyst

230V/50Hz | 260 Wat

Experience Better Living

Unit Dimensions



Specifications

Flame Effect system	Optimyst®
Model number	400001279
GTIN/UPC	5011139085023
Model	Built-in
View Type	1-, 2-, or 3-sided
Colour - Furniture	Black
Media Bed	Logset
Viewing window WxH (cm)	71x39
Build in dim (WxHxD) (cm)	76,2x77,5x35,7
Heating function	Yes
Heating Element	Yes
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	LED
Sound	Yes
Media Bed Flame Colours	Yes
Heat Setting 1 in Watts	900
Heat Setting 2 in Watts	-
Power consumption (flame effect) (Watt)	260
Wattage	1160
Voltage	230V/50Hz
Unpacked Weight (kg)	48
Plug Length	1,5 m
Warranty	2 Years





All cassettes must have adequate ventilation for an optimal fire experience. For advice, read the manuals or visit the website www.dimplexfires.com



Albany 230V/50Hz | 240 Wat

Experience Better Living



The Dimplex Albany is a versatile inset fire which can be used either fully inset or in a surround, to complement a minimalist modern decor, or add a contemporary twist to a more traditional room. Silent in operation, the Optimyst® effect flame effect is fully variable to easily create different moods and can be used independently of the heating function, ideal to create a cosy feel without overheating.


- Modern inset fire designed to be installed into a bespoke fireplace or wall
- Creates a realistic fire effect at the touch of a button
- LED logset is included
- The flame effect can also be used without the heat to enjoy the charm of the fireplace 365 days a year





Albany 230V/50Hz | 240 Wa

Unit Dimensions



Specifications

Flame Effect system	Optimyst®
Model number	210173
GTIN/UPC	5011139210173
Model	Built-in
View Type	Front
Colour - Furniture	Black
Media Bed	Logset
Viewing window WxH (cm)	57x42
Build in dim (WxHxD) (cm)	64x70,3x30
Heating function	Yes
Heating Element	Yes
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	Halogen
Sound	No
Media Bed Flame Colours	No
Heat Setting 1 in Watts	750
Heat Setting 2 in Watts	1500
Power consumption (flame effect) (Watt)	240
Wattage	1500
Voltage	230V/50Hz
Unpacked Weight (kg)	25,5
Plug Length	1,5 m
Warranty	2 Years

Experience Better Living



All cassettes must have adequate ventilation for an optimal fire experience. For advice, read the manuals or visit the website www.dimplexfires.com



XHD Electric firebox 23 | 26 | 28

230V/50Hz | 7 Watt







The Dimplex Firebox is an electric inset fireplace, which can be built into a wall or a bespoke surround. Several extra qualities make the XHD models stand out. Its frameless housing offers maximum view on the flames, the movement speed of the flames is adjustable and the special glow bed has several colour themes, customizable to fit your taste and style. The digital thermostat of the built-in heater ensures that the temperature is pleasantly easy to control. The Firebox XHD is available in different sizes.

- Modern firebox designed to be insert in custom-made frames and fireplace surrounds
- Frameless glass front gives an elegant look
- The flame can be additionally adjusted to more red or blue
- Also manually controllable by an easy touch control
- The flames are adjustable in speed

Experience Better Living











One-sided decorative fireplace.



Őpti

Optiflame technology, calming flames above the colourful glow bed.







Colour alternating flame effects.

Powerful fan-assisted heating by safe element that provides additional heating on demand.



Control all functions of the fireplace from the comfort of your chair.



Fireplace can also be operated via button display on the fireplace.




Very suitable for installation.




XHD Electric firebox 23 | 26 | 28

Experience Better Living

Unit Dimensions





c

SCALE 0.100

179







Specifications

	XHD23 Electric Firebox 20"	XHD26 Electric Firebox 25"	XHD28 Electric Firebox 26"
Flame Effect system	Optiflame®	Optiflame®	Optiflame®
Model number	210951	210975	211002
GTIN/UPC	5011139210951	5011139210975	5011139211002
Model	Built-in	Built-in	Built-in
View Type	Front	Front	Front
Colour - Furniture	Black	Black	Black
Media Bed	LED-Logset	LED-Logset	LED-Logset
Viewing window WxH (cm)	52x42	60x38	62x48
Build in dim (WxHxD) (cm)	58,4x51,9x18	66x47,9x18	69,5x59,6x18
Heating function	Yes	Yes	Yes
Heating Element	Yes	Yes	Yes
Remote Control	Yes	Yes	Yes
Manual Operation on the fireplace possible	Yes	Yes	Yes
Lighting Module	LED	LED	LED
Sound	No	No	No
Media Bed Flame Colours	Yes	Yes	Yes
Heat Setting 1 in Watts	1400	1400	1400
Heat Setting 2 in Watts	-	-	-
Power consumption (flame effect) (Watt)	7	7	7
Wattage	1400	1400	1400
Voltage	230V/50Hz	230V/50Hz	230V/50Hz
Unpacked Weight (kg)	11	11,5	14,5
Plug Length	1,5 m	1,5 m	1,5 m
Warranty	2 Years	2 Years	2 Years



Firebox 30



The Dimplex Firebox is the ultimate enhancement for your existing fireplace or furniture. This ready-to-install solution instantly transforms your space into a cozy retreat. Featuring a remarkably realistic logset with a captivating glow effect and mesmerizing flames that dance upwards from the center, it effortlessly captures the essence of a traditional fireplace. With a decorative back panel and a variety of ambient light options in customizable colours, you can create the perfect atmosphere to suit any moment, interior style, or mood. Complete with a built-in heater, the Firebox is the epitome of warmth and sophistication.

- Easy installation in the wall or in furniture
- Efficient and controlled heat output by using the thermostatic heater.
- Mirage Flame panel partially frosted acrylic panel which works better than a mirror, showing only lifelike flames and no reflections
- Adds additional atmosphere with custom atmospheric lighting and colour enhancement

Experience Better Living






Flames rising over a highly realistic glowing fire bed.



Optiflame technology, calming flames above the colourful glow bed.

Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately.



Powerful fan-assisted heating by safe element that provides additional heating on demand.



Control all functions of the fireplace from the comfort of your chair.



Fireplace can also be operated via button display on the fireplace.




Very suitable for installation.




Firebox 30


Experience Better Living

Unit Dimensions









Firebox Dimensions

DIMENSIONS

DIMENSIONS			
	Width (cm)	Height (cm)	Depth (cm)
Firebox 30" Brick	79,2	67,6	30,7

Specifications

Flame Effect system	Optiflame®
Model number	210357
GTIN/UPC	5011139210357
Model	Built-in
View Type	Front
Colour - Furniture	Black
Media Bed	LED-Logset, incl. colour option
Viewing window WxH (cm)	75x58
Build in dim (WxHxD) (cm)	79,2x67,6x30,7
Heating function	Yes
Heating Element	Yes
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	LED
Sound	No
Media Bed Flame Colours	Yes
Heat Setting 1 in Watts	2000
Heat Setting 2 in Watts	_
Power consumption (flame effect) (Watt)	15
Wattage	2000
Voltage	230V/50Hz
Unpacked Weight (kg)	25
Plug Length	1,5 m
Warranty	2 Years









Ignite Evolve 50 | 60 | 74 | 100

230V/50Hz | 35 Watt



The new Ignite Evolve is an elegant and stylish electric fire featuring edge to edge glass, which offers a flawless panoramic view of the flickering flames. With its slim design of just 14,7 cm, it seamlessly blends into modern and traditional spaces making it the perfect choice for building into a media wall. Available in various sizes; 50", 60", 74" & 100" there is a model to suit all applications. Enjoy comfort without compromise with the stunning flames, media bed and driftwood logs working together to create a beautiful authentic fire experience. The Ignite Evolve comes with the patented Comfort\$aver technology which reduces energy usage while keeping the room temperature stable. Offering the ultimate in customisable design, you can choose the flame speed and brightness, colour of flames and media bed to create a bespoke centrepiece to your suite your home and mood.

- Slim design with a depth of just 14,7 cm, it perfectly blends into any type of installation.
- Edge to edge glass offers a flawless panoramic view of the flickering flames.
- Patented Comfort\$aver technology energy efficient heater offering up to 11% saving on energy costs.
- Flame Connect App change the fire experience to your liking all by the touch of a button.
- **Fully customizable** allowing you to select flame and media bed colour, brightness and flame speed to your preference.
- **Oak logs** for realistic experience there is an option for an oak-look logset, available as an accessory.

Experience Better Living









One-sided decorative fireplace.

Optiflame technology, calming flames above the colourful glow bed.



Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately.





Colour alternating flame effects.



Powerful fan-assisted heating by safe element that provides additional heating on demand.



Flame Connect app available for smartphone.



Energy-efficient heating, delivering up to 11% energy savings.




7 Day Programmable Timer.


Ignite Evolve 50 | 60 | 74 | 100 230V/50Hz | 35 Watt

Experience Better Living

Unit Dimensions







MODEL	A
Ignite Evolve 50	127,8cm
Ignite Evolve 60	153,2cm
Ignite Evolve 74	188,7cm
Ignite Evolve 100	254,8cm

Specifications

	Ignite Evolve 50	Ignite Evolve 60	Ignite Evolve 74	Ignite Evolve 100
Flame Effect system	Optiflame®	Optiflame®	Optiflame®	Optiflame®
Model number	500003706	500003710	500003712	500003713
GTIN/UPC	5011139088734	5011139088741	5011139088758	5011139088765
Model	Wall-insert	Wall-insert	Wall-insert	Wall-insert
View Type	Front	Front	Front	Front
Colour - Furniture	Black	Black	Black	Black
Media Bed	Driftwood and tumbled glass			
Viewing window WxH (cm)	123,8x29,7	153x29,7	184,6x29,7	250,6x29,7
Build in dim (WxHxD) (cm)	127,8x40,2x14,7	153,2x40,2x14,7	188,7x40,2x14,7	254,8x40,2x14,7
Heating function	Yes	Yes	Yes	Yes
Heating Element	Yes	Yes	Yes	Yes
Remote Control	Yes	Yes	Yes	Yes
Manual Operation on the fireplace possible	Yes	Yes	Yes	Yes
Lighting Module	LED	LED	LED	LED
Sound	No	No	No	No
Media Bed Flame Colours	Yes	Yes	Yes	Yes
Heat Setting 1 in Watts	1000	1000	1000	1000
Heat Setting 2 in Watts	2000	2000	2000	2000
Power consumption (flame effect) (Watt)	19	23	27	35
Wattage	2000	2000	2000	2000
Voltage	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz
Unpacked Weight (kg)	31,8	37,2	44,9	59,7
Plug Length	1 m	1 m	1 m	1 m
Warranty	2 Years	2 Years	2 Years	2 Years

Prism 34 | 50 | 74







Prism linear electric fireplaces make a sparkling addition to your wall. Literally, since its flames arise from a bed of diamond-like decoration which can be illuminated in many colours, to suit your mood. With its remote control and a powerful and efficient fan-forced heater, this fireplace adds comfort and ambiance to any space. Plugged in or hardwired, hung on the wall or built-in; the Dimplex Prism is beautifully versatile. This electric fireplace is available in three different sizes.

- The flame effect illuminates the diamond-like acrylic ice decoration in different colours
- Suitable for wall-mounted or recessed installation
- Integrated display function on the glass panel
- Digital thermostat for easy temperature control

Experience Better Living






Experience Better Living

230V/50Hz | 15 / 19 / 24 Watt

Prism 34 | 50 | 74

Unit Dimensions



Specifications

	Prism 34"	Prism 50"	Prism 74"
Flame Effect system	Optiflame®	Optiflame®	Optiflame [®]
Model number	208378	209900	209917
GTIN/UPC	5011139208378	5011139209900	5011139209917
Model	Wall-insert	Wall-insert	Wall-insert
View Type	Front	Front	Front
Colour - Furniture	Black	Black	Black
Media Bed	Acrylic Ice	Acrylic Ice	Acrylic Ice
Viewing window WxH (cm)	79x27	120x27	180x27
Build in dim (WxHxD) (cm)	82,3x45,7x17,2	123x45,7x17,2	184,4x46,7x17,2
Heating function	Yes	Yes	Yes
Heating Element	Yes	Yes	Yes
Remote Control	Yes	Yes	Yes
Manual Operation on the fireplace possible	Yes	Yes	Yes
Lighting Module	LED	LED	LED
Sound	No	No	No
Media Bed Flame Colours	Yes	Yes	Yes
Heat Setting 1 in Watts	1100	1100	1100
Heat Setting 2 in Watts	-	-	-
Power consumption (flame effect) (Watt)	15	19	24
Wattage	1100	1100	1100
Voltage	230V/50Hz	230V/50Hz	230V/50Hz
Unpacked Weight (kg)	23,5	32,5	51
Plug Length	1,5 m	1,5 m	1,5 m
Warranty	2 Years	2 Years	2 Years





Danville Black | Brass antique

230V/50Hz | 200 Watt







A modern fireplace insert, with a 3D flame effect and glowing wood blocks that continue to fascinate. Available in two different designs to create your personal style: powerful black or classic brass. The remote control and heating make this fireplace even more attractive.

- Inset fire designed to fit standard fireplace
- Contemporary styling with powerful black/copper finish
- Logbed with effect for added authenticity
- Rotary thermostat for temperature control







RN)

One-sided decorative fireplace.

Surprising by the floating flame and smoke effect and variable flame intensity.

Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.



Optimyst flame technology, flame patterns by cold water vapour.



Powerful fan-assisted heating by safe element that provides additional heating on demand.

Control all functions of the fireplace from the comfort of your chair.

(H)


Easy to connect to a standard socket for instant atmosphere.



Danville Black | Brass antique

Experience Better Living

Unit Dimensions



Specifications

	Danville Black	Danville Brass
Flame Effect system	Optimyst®	Optimyst®
Model number	202550	202536
GTIN/UPC	5011139202550	5011139202536
Model	Inset	Inset
View Туре	Front	Front
Colour - Furniture	Black	Copper
Media Bed	Logset	Logset
Viewing window WxH (cm)	32x24	32x24
Build in dim (WxHxD) (cm)	52x62x23,1	52x62x23,1
Heating function	Yes	Yes
Heating Element	Yes	Yes
Remote Control	Yes	Yes
Manual Operation on the fireplace possible	Yes	Yes
Lighting Module	Halogen	Halogen
Sound	No	No
Media Bed Flame Colours	No	No
Heat Setting 1 in Watts	1000	1000
Heat Setting 2 in Watts	2000	2000
Power consumption (flame effect) (Watt)	200	200
Wattage	2000	2000
Voltage	230V/50Hz	230V/50Hz
Unpacked Weight (kg)	16,5	16,5
Plug Length	1,5 m	1,5 m
Warranty	2 Years	2 Years





Experience Better Living







Do you cherish your existing fireplace or stove but make no use of it? The Silverton is a smart and compact electric fire, designed to revive your wood or gas fire. Thanks to its glowing logs, its flames and smoke coming from cold water vapour and LEDs, enjoying your fireplace can be a comfortable and lasting experience, again.

- Compact freestanding fireplace
- Also suitable as an insert for inoperative fireplaces
- Glowing LED logset with loose logs for individual decoration
- Includes a glowing fire bed for under the fire basket








Silverton 230V/50Hz | 60 Wat

Experience Better Living

Unit Dimensions







Specifications

Flame Effect system	Optimyst®
Model number	204554
GTIN/UPC	5011139204554
Model	Inset
View Type	3-sided
Colour - Furniture	Black
Media Bed	Logset
Viewing window WxH (cm)	22x20
Build in dim (WxHxD) (cm)	68,2x33x36,1
Heating function	No
Heating Element	No
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	LED
Sound	No
Media Bed Flame Colours	No
Heat Setting 1 in Watts	-
Heat Setting 2 in Watts	-
Power consumption (flame effect) (Watt)	60
Wattage	60
Voltage	230V/50Hz
Unpacked Weight (kg)	10
Plug Length	1,5 m
Warranty	2 Years











Logset 20'

230V/50Hz | 9 Watt

CDimplex[®]

Experience Better Living







The Logset 20" by Dimplex is an electric fire system designed to instantly revive your non-active fireplace. Very easy to install, safe, maintenance free and requiring surprisingly little energy. A great way to bring back the fascination of flames moving upwards from the glowing logs, reinstalling your fireplace as a focal point, for great moments around the fire. Fitted with ambient light functions, a heater and even a remote, to let you enjoy your fireplace comfortably at each moment of the day and year.

- Adjustable brightness level to suit the desired ambience
- Mirage Flame panel partially frosted acrylic panel which works better than a mirror, showing only lifelike flames and no reflections
- The 360° light adds flickering light to enhance the firelight effect
- Enjoy the unique charm of the fireplace 365 days a year using the flames without the heat

Â,	All-round view.
RE S	Fully adjustable fire image with high- contrast flames for a surprisingly deep and lifelike effect.
	Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
Öpti	Optiflame technology, calming flames above the colourful glow bed.
	Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately.
	Control all functions of the fireplace from the comfort of your chair.
Ð	Easy to connect to a standard socket for instant atmosphere.




Logset 20' 230V/50Hz | 9 Watt

Unit Dimensions

482





Specifications

Flame Effect system	Optiflame®
Model number	211156
GTIN/UPC	5011139211156
Model	Inset
View Туре	3-sided
Colour - Furniture	Black
Media Bed	Logset
Viewing window WxH (cm)	60x48
Build in dim (WxHxD) (cm)	60,3x48,2x31,7
Heating function	Yes
Heating Element	Yes
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	LED
Sound	No
Media Bed Flame Colours	No
Heat Setting 1 in Watts	650
Heat Setting 2 in Watts	1300
Power consumption (flame effect) (Watt)	9
Wattage	1300
Voltage	230V/50Hz
Unpacked Weight (kg)	5,5
Plug Length	1,5 m
Warranty	2 Years













Lucia 230V/50Hz | 10 Wat







A wonderfully compact stove which will bring a real fire feeling with the convencience of electric, great to enrich even the smallest living space. The look of a classic cast-iron stove, with contemporary styling and many features. The opening glass door adds to that authentic feeling, while staring into the warm red flames and logs of the Optiflame® fire. Adjust the flame and heat setting over the concealed controls or with the remote.

- Freestanding classic cast-iron look stove with modern touch in a matt black finish
- Opening door with glass and a silver handle
- Rotary thermostat for temperature control

Experience Better Living








Easy to connect to a standard socket for instant atmosphere.



Lucia 230V/50Hz | 10 Wa

Experience Better Living

Unit Dimensions



Specifications

Flame Effect system	Optiflame®
Model number	211255F
GTIN/UPC	5011139211255
Model	Freestanding
View Type	Front
Colour - Furniture	Black
Media Bed	Logset
Viewing window WxH (cm)	38x25
Build in dim (WxHxD) (cm)	50,8x59,7x34,4
Heating function	Yes
Heating Element	Yes
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	LED
Sound	No
Media Bed Flame Colours	No
Heat Setting 1 in Watts	900
Heat Setting 2 in Watts	1800
Power consumption (flame effect) (Watt)	10
Wattage	1800
Voltage	230V/50Hz
Unpacked Weight (kg)	16
Plug Length	1,5 m
Warranty	2 Years









Stockbridge 230V/50Hz | 200 Watt







A timeless combination in itself: a traditionally shaped and robust freestanding fireplace which offers you all the benefits of a modern electric fire. Stare into the playful 3-dimensional flames of the Optimyst[®] fire and feel the cosy warmth from its built in electric heater.

- Authentic look of cast iron stove with a metal housing
- Decorative glass doors that can be opened
- Metal sheet mirror back panel for a more intensive flame picture
- Rotary thermostat for temperature control



Experience Better Living



One-sided decorative fireplace.



Surprising by the floating flame and smoke effect and variable flame intensity.

Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.




Optimyst flame technology, flame patterns by cold water vapour.



Powerful fan-assisted heating by safe element that provides additional heating on demand.

Control all functions of the fireplace from the comfort of your chair.




Easy to connect to a

Easy to connect to a standard socket for instant atmosphere.



Stockbridge 230V/50Hz | 200 Watt

Unit Dimensions



Specifications

Flame Effect system	Optimyst®
Model number	206398
GTIN/UPC	5011139206398
Model	Freestanding
View Type	Front
Colour - Furniture	Black
Media Bed	Logset
Viewing window WxH (cm)	53x28
Build in dim (WxHxD) (cm)	62x66x39
Heating function	Yes
Heating Element	Yes
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	Halogen
Sound	No
Media Bed Flame Colours	No
Heat Setting 1 in Watts	1000
Heat Setting 2 in Watts	2000
Power consumption (flame effect) (Watt)	200
Wattage	2000
Voltage	230V/50Hz
Unpacked Weight (kg)	27
Plug Length	1,5 m
Warranty	2 Years









Experience Better Living



Grand Rouge

230V/50Hz | 200 Watt







Introducing the Dimplex Grand Rouge, the perfect alternative to gas or wood fireplaces. Designed to suit any room, this exceptional stove boasts our patented Optimyst technology, delivering a truly extraordinary fireplace experience. Prepare to be mesmerized as three-dimensional flames dance before your eyes, creating an incredibly lifelike ambiance. With the added benefit of heating functionality, you can enjoy the complete fireplace experience without the limitations of traditional fuels. The Dimplex Grand Rouge combines innovation and elegance and brings colour to your home.


- Authentic look of cast iron stove
- Decorative glass doors that can be opened
- Metal sheet mirror back panel for a more intensive flame picture
- Rotary thermostat for temperature control





One-sided decorative fireplace.

12¹5)



Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.

Őpti

J

Optimyst flame technology, flame patterns by cold water vapour.

Powerful fan-assisted heating by safe element that provides additional heating on demand.

Control all functions of the fireplace from the comfort of your chair.

Fireplace can also be operated via button display on the fireplace.

Easy to connect to a standard socket for instant atmosphere.


Freestanding




Grand Rouge 230V/50Hz | 200 Watt

Experience Better Living

Unit Dimensions





Specifications

Flame Effect system	Optimyst®
Model number	235230F
GTIN/UPC	8716412235238
Model	Freestanding
View Type	Front
Colour - Furniture	Red
Media Bed	Logset
Viewing window WxH (cm)	53x28
Build in dim (WxHxD) (cm)	62x66x39
Heating function	Yes
Heating Element	Yes
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	Halogen
Sound	No
Media Bed Flame Colours	No
Heat Setting 1 in Watts	1000
Heat Setting 2 in Watts	2000
Power consumption (flame effect) (Watt)	200
Wattage	2000
Voltage	230V/50Hz
Unpacked Weight (kg)	21
Plug Length	1,8 m
Warranty	2 Years










CDimplex[®]

Sunningdale








The Sunningdale is a classic, timeless stove design that suits many different interiors. The real experience of fire, with crackling sounds, sparks that seem to jump is all down to the proven Opti-V® technology. A built-in heating bed completes the experience.

- Authentic look of cast iron stove with a metal housing
- Crackling logs sound effects with adjustable volume
- Glass door that can be opened
- Digital thermostat for temperature adjustment

Experience Better Living







Easy to connect to a standard socket for instant atmosphere.


Freestanding




Sunningdale

Experience Better Living

Unit Dimensions







Specifications

Flame Effect system	Opti-V®
Model number	207784
GTIN/UPC	5011139207784
Model	Freestanding
View Type	Front
Colour - Furniture	Black
Media Bed	Logset
Viewing window WxH (cm)	45x30
Build in dim (WxHxD) (cm)	63,2x65,7x44
Heating function	Yes
Heating Element	Yes
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	LED
Sound	Yes
Media Bed Flame Colours	No
Heat Setting 1 in Watts	1000
Heat Setting 2 in Watts	2000
Power consumption (flame effect) (Watt)	40
Wattage	2000
Voltage	230V/50Hz
Unpacked Weight (kg)	31,5
Plug Length	1,5 m
Warranty	2 Years











Bellini Black 230V/50Hz | 10 Watt





This Bellini fits perfectly in modern and industrial interiors. The beautiful flame effect is thanks to the famous Optiflame® effect. The flames and built-in heating can be easily adjusted via the remote control.

- Modern and compact design ideal for smaller spaces
- Rotary thermostat for temperature control
- Lacquered surface gives a gloss finish

Experience Better Living



Ŕ,	One-sided decorative fireplace.
RY A	Flames rising over a highly realistic glowing fire bed.
	Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
Öpti	Optiflame technology, soothing flames with a lit glow bed.
	Flames and lamps use energy-efficient LEDs that require no maintenance and can burn separately.
	Powerful fan-assisted heating by safe element that provides additional heating on demand.
	Control all functions of the fireplace from the comfort of your chair.
R	Fireplace can also be operated via button display on the fireplace.




Easy to connect to a standard socket for instant atmosphere.



Bellini Black

Experience Better Living

Unit Dimensions



Specifications

Flame Effect system	Optiflame®
Model number	211132
GTIN/UPC	5011139211132
Model	Freestanding
View Type	Front
Colour - Furniture	White with black frame
Media Bed	Logset
Viewing window WxH (cm)	34x38
Build in dim (WxHxD) (cm)	65x86,8x19,5
Heating function	Yes
Heating Element	Yes
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	LED
Sound	No
Media Bed Flame Colours	No
Heat Setting 1 in Watts	700
Heat Setting 2 in Watts	1300
Power consumption (flame effect) (Watt)	10
Wattage	1500
Voltage	230V/50Hz
Unpacked Weight (kg)	21,5
Plug Length	1,5 m
Warranty	2 Years


















Would you like to set up a fireplace in your home and enjoy the cosiness, but have little space left? The Dimplex Gisella has been specially designed to offer the pleasure of heartwarming flames with warmth in compact homes. Also ideal as a second device in studies, bedrooms or in tiny houses.

- Modern and simple, linear design
- With a glass attachment
- Rotary thermostat for temperature control
- Fan heater with two heating levels









Easy to connect to a standard socket for instant atmosphere.




Gisella White


0Hz | 1500 Watt

Experience Better Living

Unit Dimensions








Specifications

Flame Effect system	Optiflame®
Model number	208392F
GTIN/UPC	5011139208392
Model	Freestanding
View Type	Front
Colour - Furniture	White
Media Bed	Logset
Viewing window WxH (cm)	34x38 cm
Build in dim (WxHxD) (cm)	58,1x79,5x17
Heating function	Yes
Heating Element	Yes
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	LED
Sound	No
Media Bed Flame Colours	No
Heat Setting 1 in Watts	700
Heat Setting 2 in Watts	1300
Power consumption (flame effect) (Watt)	10
Wattage	1500
Voltage	230V/50Hz
Unpacked Weight (kg)	22,5
Plug Length	1,5 m
Warranty	2 Years











Scandic 230V/50Hz | 10 Wa







A well balanced oval geometry characterizes the Scandic, with a design that was inspired on an original Swedish stove. A log compartment is inside to enhance its looks, as well as a storage shelf on top, to personalize it to your interior style. Thanks to its electric Optiflame® fire the Scandic is extremely simple to install and can be enjoyed all year round.

- Modern Scandinavian styled fireplace with log storage compartment
- Oval shape with white tile look alike on the side
- Storage compartment on top for decoration
- Rotary thermostat for temperature control
- The unique charm of the fireplace can be enjoyed 365 days a year using the flames without the heat








Experience Better Living

Scandic 230V/50Hz | 10 Wat

Unit Dimensions



Specifications

Flame Effect system	Optiflame®
Model number	208200
GTIN/UPC	5011139208200
Model	Freestanding
View Type	Front
Colour - Furniture	White
Media Bed	Logset
Viewing window WxH (cm)	37x38
Build in dim (WxHxD) (cm)	67,4x103,5x31,6
Heating function	Yes
Heating Element	Yes
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	LED
Sound	No
Media Bed Flame Colours	No
Heat Setting 1 in Watts	1000
Heat Setting 2 in Watts	2000
Power consumption (flame effect) (Watt)	10
Wattage	2000
Voltage	230V/50Hz
Unpacked Weight (kg)	48,5
Plug Length	1,5 m
Warranty	2 Years











Verdi White I Black

230V/50Hz | 200 Wat





With its slender, tall and light design, the Verdi has already earned the appreciation of many. Quickly to install, yet a lasting focal point in even the smallest living room. Designed for quality time around the realistic fire, while enjoying pleasant warmth.

- Modern Scandinavian design almost 150 cm high
- White oval body with high-gloss finish
- With storage compartment for logs
- Decorative silver frame around the firebox

Experience Better Living



Ć,	One-sided decorative fireplace.
R	Surprising by the floating flame and smoke effect and variable flame intensity.
	Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
Őpti	Optimyst flame technology, flame patterns by cold water vapour.
	Powerful fan-assisted heating by safe element that provides additional heating on demand.
	Control all functions of the fireplace from the comfort of your chair.
Ø	Easy to connect to a standard socket for

instant atmosphere.





Experience Better Living

Verdi White I Black

230V/50Hz | 200 Wa

Unit Dimensions





Specifications

	Verdi White	Verdi Black
Flame Effect system	Optimyst®	Optimyst®
Model number	206275F	222190F
GTIN/UPC	5011139206275	8716412222191
Model	Freestanding	Freestanding
View Type	Front	Front
Colour - Furniture	White	Black
Media Bed	Logset	Logset
Viewing window WxH (cm)	40x50	40x50
Build in dim (WxHxD) (cm)	77,5x143,2x44,7	77,5x143,2x44,7
Heating function	Yes	Yes
Heating Element	Yes	Yes
Remote Control	Yes	Yes
Manual Operation on the fireplace possible	Yes	Yes
Lighting Module	Halogen	Halogen
Sound	No	No
Media Bed Flame Colours	No	No
Heat Setting 1 in Watts	1000	1000
Heat Setting 2 in Watts	2000	2000
Power consumption (flame effect) (Watt)	200	200
Wattage	2000	2000
Voltage	230V/50Hz	230V/50Hz
Unpacked Weight (kg)	66	66
Plug Length	1,5 m	1,5 m
Warranty	2 Years	2 Years







Optimyst

Cubic

230V/50Hz | 200 Watt





The distinct yet sleek metal design of the freestanding Cubic will bring you the joy of fire for many years. Is ever changing, free floating flames and smoke are due to Dimplex's own Optimyst[®] system. Also finish off its looks with true logs in the compartment (not included).

- Nordic styled fireplace with log compartment
- With silver applications in the front
- A centerpiece with a height of 127 cm
- Rotary thermostat for temperature control




Ś,	One-sided decorative fireplace.
RTY)	Surprising by the floating flame and smoke effect and variable flame intensity.
360	Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
Őpti	Optimyst flame technology, flame patterns by cold water vapour.
	Powerful fan-assisted heating by safe element that provides additional heating on demand.
	Control all functions of the fireplace from the comfort of your chair.
¢	Easy to connect to a standard socket for instant atmosphere.



Cubic 230V/50Hz | 200 Wat

Experience Better Living

Unit Dimensions



Specifications

Flame Effect system	Optimyst®
Model number	207425
GTIN/UPC	5011139207425
Model	Freestanding
View Type	Front
Colour - Furniture	Black / Anthracite
Media Bed	Logset
Viewing window WxH (cm)	38x40
Build in dim (WxHxD) (cm)	67x127x42
Heating function	Yes
Heating Element	Yes
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	Halogen
Sound	No
Media Bed Flame Colours	No
Heat Setting 1 in Watts	1000
Heat Setting 2 in Watts	2000
Power consumption (flame effect) (Watt)	200
Wattage	2000
Voltage	230V/50Hz
Unpacked Weight (kg)	45,5
Plug Length	1,5 m
Warranty	2 Years











Unity 230V/50Hz | 7 Watt

Experience Better Living







The Unity is a freestanding fireplace, designed to be timeless with its white surround. Its sleek and elegant profile seamlessly complements both modern and traditional interiors, making it a versatile addition to any space. With the Optiflame® flame technology, you can enjoy the warm ambiance of a realistic fire, while the built-in heater ensures cosy comfort. Conveniently operated by remote control, Unity gives a wonderful touch to the atmosphere in your living room, study, or bedroom. You can simply plug it into a socket and set your mood through the captivating array of flame colour options. An easy way to add style and warmth to your favourite space.

- Timeless white surround: a versatile addition to any space
- Frameless glass front for an elegant look and feel
- Convenient remote control for easy flame and heater adjustment.
- Captivating array of flame colours sets the perfect mood
- Built-in heater ensures cosy comfort and warmth








Experience Better Living

Unit Dimensions

Unity 230V/50Hz | 7 Watt







Specifications

Flame Effect system	Optiflame®
Model number	235560F
GTIN/UPC	8716412235566
Model	Freestanding
View Type	Front
Colour - Furniture	White
Media Bed	LED-Logset
Viewing window WxH (cm)	52x42
Build in dim (WxHxD) (cm)	92x93,3x31
Heating function	Yes
Heating Element	Yes
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	LED
Sound	No
Media Bed Flame Colours	Yes
Heat Setting 1 in Watts	1400
Heat Setting 2 in Watts	-
Power consumption (flame effect) (Watt)	7
Wattage	1400
Voltage	230V/50Hz
Unpacked Weight (kg)	44,5
Plug Length	1,5 m
Warranty	2 Years

310











Vigor 230V/50Hz | 7 Watt

Freestanding

Vigor is designed to complement modern and industrial interiors. With its striking flame effect, powered by Optiflame® technology, Vigor is sure to add just that little bit extra to any room. The flames and the built-in heater can be easily adjusted using the convenient remote control, allowing you to create the perfect atmosphere with ease. Vigor's sleek freestanding design blends effortlessly with existing furniture. And with its LED lighting module and the option to customise the flame colours, Vigor creates a visually stunning focal point that combines style and functionality for a truly remarkable fireplace experience.


- Sleek freestanding design complements modern and industrial interiors
- Frameless glass front for an elegant look and feel
- Convenient remote control for easy flame and heater adjustment.
- Captivating array of flame colours sets the perfect mood
- Adjustable flame speed for a personalised ambience






Vigor 230V/50Hz | 7 Watt

Unit Dimensions





Specifications

Flame Effect system	Optiflame®
Model number	235550F
GTIN/UPC	8716412235559
Model	Freestanding
View Type	Front
Colour - Furniture	White
Media Bed	Logset
Viewing window WxH (cm)	60x38
Build in dim (WxHxD) (cm)	102x88,1x29
Heating function	Yes
Heating Element	Yes
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	LED
Sound	No
Media Bed Flame Colours	Yes
Heat Setting 1 in Watts	1400
Heat Setting 2 in Watts	-
Power consumption (flame effect) (Watt)	7
Wattage	1400
Voltage	230V/50Hz
Unpacked Weight (kg)	36,5
Plug Length	1,5 m
Warranty	2 Years





Disclaimer We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



Fyr 127 230V/50Hz | 200 Wat







Our FYR Line was inspired by the world-famous Scandinavian lighthouses: rugged fireplaces made from authentic materials, with pure, subtle details. Each one features beautiful flames thanks to the electric Optimyst® fire: visually appealing, safe and clean, as they are formed from natural cold water vapour and lighting. The Fyr 127 is a real innovation in the field of electric atmospheric fire. This fireplace is suitable for a range of applications, from small apartments to large public spaces and catering. The fire effect creates lively and real flames that rise from the center of the fireplace. The luxurious top plates are available with different wood finishes. In addition, you can adjust the flame height. Welcome to the future.

- Premium quality design, finish and appearance
- Easy-fill water tank, offering approx. 8-10 hours of operation
- 24/7 timer ensures a high flexibility, each day of the week can be set individually
- Enjoy the ambiance of the flames with or without the heater for all year round comfort







Experience Better Living

Fyr 127 230V/50Hz | 200 Watt

Unit Dimensions





Specifications

Flame Effect system	Optimyst®
Model number	SET010
GTIN/UPC	8716412221644
Model	Freestanding
View Type	Front
Colour - Furniture	Black
Media Bed	Logset
Viewing window WxH (cm)	41,0x62,5
Build in dim (WxHxD) (cm)	60x130,6
Heating function	Yes
Heating Element	Yes
Remote Control	Yes
Manual Operation on the fireplace possible	Yes
Lighting Module	Halogen
Sound	No
Media Bed Flame Colours	No
Heat Setting 1 in Watts	1000
Heat Setting 2 in Watts	2000
Power consumption (flame effect) (Watt)	200
Wattage	2000
Voltage	230V/50Hz
Unpacked Weight (kg)	74
Plug Length	0,4 m
Warranty	2 Years











CDimplex[®]

Torn 64 | 100

Experience Better Living





The refined simplicity of the TORN Line brings an extra level to the most diverse interiors, and that in almost every place. As a beacon of tranquility and inspiration. Thanks to the electric Optimyst® fire, TORN fireplaces are also clean, safe and sustainable, with atmospheric flames that consist only of cold water vapour and light. Experience the power of essence. The refined simplicity of the TORN Line brings an extra level of ambiance to the most diverse interiors, exactly where you want it. All of this is due to the fascinating yet safe Optimyst® flames and the compact, Freestanding design, which does not require a chimney. The high model is equipped with pleasant and silent electric heating. Experience the power of essence.

- Compact size for ambiance almost everywhere in your home
- Easy-fill water tank, for several hours of operation
- Logset included
- Built-in thermosatic heater can be operated separately (Torn 100)



Surprising by the floating flame and smoke effect and variable flame intensity.

Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.

Optimyst flame technology, flame patterns by cold water vapour.

Őpti


Control all functions of the fireplace from the comfort of your chair.

Easy to connect to a standard socket for instant atmosphere.



Torn 64 | 100 230V/50Hz | 64 / 200 Watt

Experience Better Living





350

Specifications

	Torn 64	Torn 100
Flame Effect system	Optimyst®	Optimyst®
Model number	SET009	SET008
GTIN/UPC	8716412221637	8716412221620
Model	Freestanding	Freestanding
View Type	Front	Front
Colour - Furniture	Black	Black
Media Bed	Logset	Logset
Viewing window WxH (cm)	22x20	41x38
Build in dim (WxHxD) (cm)	53,3x65,8x35	68,8x103,6x35
Heating function	No	Yes
Heating Element	No	Yes
Remote Control	Yes	Yes
Manual Operation on the fireplace possible	Yes	Yes
Lighting Module	LED	Halogen
Sound	No	No
Media Bed Flame Colours	No	No
Heat Setting 1 in Watts	-	1000
Heat Setting 2 in Watts	-	2000
Power consumption (flame effect) (Watt)	64	200
Wattage	64	2000
Voltage	230V/50Hz	230V/50Hz
Unpacked Weight (kg)	30,5	69
Plug Length	1,5 m	1,5 m
Warranty	2 Years	2 Years









Complex

Experience Better Living

Accessories

Logset 500

For Cassette 500

Logset 1000 For Cassette 1000



Article number EAN-code Product size

219930 8716412219931 101,5 × 35,5 × 25 cm

400L logbed

Article number

EAN-code

Product size

For Cassette 400/600

600L logbed

For Cassette 400/600



Article number EAN-code Product size

211583 5011139211583 40,4 × 9,5 × 21,7 cm



Article number EAN-code Product size

211590 5011139211590 56,4 × 10,4 × 21,7 cm

Ignite Evolve Oak Logset

For Ignite Evolve 50/60/74



Ignite Evolve 50 Oak Logset Article number EAN-code

Ignite Evolve 60 Oak Logset Article number EAN-code

Ignite Evolve 74 Oak Logset Article number EAN-code

500003877 5011139088888

500003878 5011139088895

500003879 5011139088901

Ignite Bold Oak Logset

For Ignite Bold 50/60/74



Ignite Bold 50 Oak Logset Article number EAN-code

Ignite Bold 60 Oak Logset Article number EAN-code

Ignite Bold 74 Oak Logset Article number EAN-code

500004059 5011139089106

500004080 5011139089113

500004072 5011139089120



219920



8716412219924

51 × 35,5 × 19,5 cm

Accessories

Experience Better Living

Trim Kit Aspire

For Aspire 30"

Front glass panel RBF30

For Firebox 30"



Article number EAN-code 500004074 5011139089137 Article number EAN-code

Back panel Engine

Engine 68-400 / Engine 56-600

RBFGLASS30 0781052108004

Black Panel Vivente Plus


For Vivente Plus 75 | 100 | 150



Black Back PanelVivente Plus 75Article number235510EAN-code8716412235511

Black Back Panel Vivente Plus 100 Article number 235520 EAN-code 8716412235528

Black Back Panel Vivente Plus 150Article number235530EAN-code8716412235535



Mirror back panelEngine 68-400Article number205421EAN-code5011139205421

Mirror back panelEngine 56-600Article number204509EAN-code5011139204509

Brick back panel Engine 56-600Article number204493EAN-code5011139204493

Transducer

For Optimyst®



Transducer standardArticle number205698EAN-code5011139205698

 Transducer Cassette 500/1000

 Article number
 225380

 EAN-code
 8716412225383

Cassette 500/1000 projects

Pump accessory Kit



Halogen lamp 4-pack



Article number EAN-code 06023090 87016412225390

Article number 4000 EAN-code 5011

400001562 5011139087102

Complex®

Experience Better Living

Glen Dimplex Benelux BV Saturnus 8 8448 CC Heerenveen

PO Box 219 NL-8440 AE Heerenveen

T. +31(0)513 656500 F. +31(0)513 656501 E. info@dimplexfires.com



