

## Installation Instructions

---

# Freestanding and Back-to-Wall Baths

### **IMPORTANT:**

Please read the following instructions carefully before commencing installation. Qualified tradesmen must carry out all plumbing works and all aspects of the installation process should be in accordance with the building code.



0800 728 662  
[www.newtech.co.nz](http://www.newtech.co.nz)

## FREESTANDING AND BACK-TO-WALL BATH


### Installation Instructions

For optimum results the bathroom floor should be level. If an acrylic bath is going to be placed below a bath to ceiling window, where it is exposed to direct and full sunlight, we recommend painting both inner front side walls of the bath. This is to minimise sunlight penetrating through the bath creating shadow lines.

To aid the installation the use of a low profile 2-piece bath waste is recommended.  
*Refer to Newtech Evoke 2-Piece 40mm Bath Waste - Product Code: 2280.*


1. Newtech baths are supplied on an integrated support with adjustable feet. Place the bath in the desired position. Note: Waste placement and plumbing requirements should have been determined and prepared by this stage. Once in the desired position adjust the bath feet so that the bath surround is touching the floor.
2. Using the spirit level check to ensure the top edge of the bath is level. If necessary, use the levelling feet to adjust. Adjusting the feet will cause the acrylic surround to lift off the floor.

### BATH INSTALL DETAIL LEG




3. Carefully tilt the bath backward and apply an appropriate adhesive to each of the bath feet.
4. Connect the waste and lower the bath into position.
5. As an option, once the bath is in its final position the acrylic surround may be sealed to the floor using a sanitary grade silicone. Leave to cure for a minimum of 24 hours with no water

### INSTALLING WITHOUT AN UPSTAND - TILES




NOTE: This method is not to be used in a shower over bath situation

### INSTALLING WITHOUT AN UPSTAND - WALL LINING



NOTE: This method is not to be used in a shower over bath situation

### INSTALLING WITH AN OPTIONAL UPSTAND



**NOTE: When installing a shower over a bath, an upstand must be installed in accordance with the NZ Building Code.**



**DO NOT RUN WATER UPON INSTALLATION FOR 24 HOURS**

# Warranty Information

Newtech warrants that products or product components manufactured and distributed by Newtech:

- Meet or exceed the standard requirements of the New Zealand Building Code; and
- Will be free from inherent defects in materials and workmanship for the extended warranty period applicable to the product.

Newtech will provide a replacement product or replacement part (or the nearest equivalent) free of charge where a product is covered by our warranty. Any remedial works will not be covered by Newtech.

The Newtech warranty will not apply where the product has been improperly installed, has been misused, proof of purchase cannot be provided or where the warranty claim has not been notified to Newtech within three months of the problem first appearing.

To make a warranty claim, the appropriate documentation must be emailed to: [sales@newtech.co.nz](mailto:sales@newtech.co.nz) with the Name/model of product and photographs of the issue; Proof of installation by a licensed plumber and/or proof of purchase; Your contact details; name, address and best contact phone number.

## **Newtech Bathroomware**

Head Office: 30 Mill Road, Whanganui

Auckland Showroom: 525 Great South Rd, Penrose, Auckland

0800 728 662 | [sales@newtech.co.nz](mailto:sales@newtech.co.nz)



Our 5 year warranty offers our customers peace of mind knowing Newtech products are free of defects, both in materials and workmanship.



**Head Office** 30 Mill Road, Wanganui  
[sales@newtech.co.nz](mailto:sales@newtech.co.nz)

**Auckland Showroom** 525 Great South Road, Penrose, Auckland  
[aucklandshowroom@newtech.co.nz](mailto:aucklandshowroom@newtech.co.nz)

0800 728 662 | [www.newtech.co.nz](http://www.newtech.co.nz)