

LDR
lucciaballita



New products

ARPA

150/180W

- 150W 3200K and 5600K white, 100/260V, DMX512+RDM
- 180W RGBW, TW on demand
- all models also available with pole-operated stirrup and in black, white and silver finish
- enhanced performance, excellent beam distribution, ideal for medium-throw applications



RANGE

FRESNEL



PC



8/22



18/36



30/55



ALBA PD

230W

- 230W 3200K and 5600K white, 100/260V, Phase Dimming, DMX512+RDM
- remote dimming, via Triac or Thyristor external dimmer units or 8 or 16 bits, via DMX; manual from rear panel
- the same stunning performance of all ALBA models but connected to your existing dimmers for easy installation and control on medium-long throws



RANGE

FRESNEL



PC



8/22



18/36



30/55



STELLA

600W LED profiles

- 600W 3200K and 6000K white, 100/260V, DMX512+RDM
- produces an astonishingly pure beam of white light with an extremely flat field
- double-condenser optics grants a highly defined beam and perfectly sharp gobo projection from any position
- its integrated state-of-the art LED engine and electronic control system prevent any colour shift during dimming
- outstanding performance on long-throw applications up to 60m



RANGE

8/22



18/36



30/55



ASTRO 100

89/120W LED followspot

- 89W 3200K and 5600K white, 100/260V, DMX512
- 120W RGBW, 100/260V, DMX512+RDM
- double-condenser optics and a PWM dimming power source for a remarkable performance and easy control
- the easy yet high-profile solution for all professional and amateur followspot applications at short throws



ASTRO 600

600W LED followspot

- 600W 3200K and 6000K white, 100/260V, DMX512+RDM
- unparalleled performance thanks to its integrated state-of-the art LED engine and electronic control system
- sturdy, sliding stirrup for a perfect control of balance, pan and tilt
- closed gate area accepting both iris and gobo holder simultaneously, avoids any light leak
- user-friendly controls, including a clamp-on digital dimmer, positionable anywhere along the side bars to suit any operator's need and size
- spigot with fluid-head, 6-colour colour changer unit and sizing iris also included in standard delivery
- the best performing followspot in its category for throws up to 60m and over



ASTRO 600 TROPICAL

600W LED followspot

- same stunning performance and specs as the standard
- ideal in highly humid environments
- strongly recommended for usage in venues where fog or haze machines are also being used, or wherever natural or chemical air pollutants or dust of any origin cannot be avoided
- the tropical treatment guarantees a long life to its electronic parts.



NOTA XL

1000/1200W TH luminaires

- Ø200mm Fresnel, Pebble Convex (PC) or Polished Pebble Convex (PPC) high quality borosilicate lens
- Adjustable GX9.5 lampbase, hinging lamp-tray, double microswitch disconnecter and screw-focus mechanism with controls at front and rear
- Unparalleled light output for throws up to 25m and over
- The choice of the professionals for the most challenging and demanding installations



RANGE





Via Berna 14, z.i. Bosco dell'Irta
46042 Castel Goffredo, MN - Italy
Tel: +39 0376 771777
e-mail: info@ldr.it - www.ldr.it